SEP 29 2006

TION DISCLOSURE STATEMENT BY APPLICANT

| Attorney Docket Number | 7158-71253-09 |
|------------------------|----------------|
| Application Number | 10/616,410 |
| Filing Date | July 8, 2003 |
| First Named Inventor | Hunter |
| Art Unit | 1642 |
| Examiner Name | Lei Yao, Ph.D. |

U.S. PATENT DOCUMENTS

Copies of U.S. Patent documents do not need to be provided, unless requested by the Patent and Trademark Office. For patents, provide the patent number and the issue date. For published U.S. applications, provide the publication number and the publication date. For unpublished pending patent applications, provide the application number and the filing date.

| Examiner's Initials* | Cite No. (optional) | Number | Publication Date | Name of Applicant or Patentee |
|-------------------------|------------------------|--------------|------------------|-------------------------------|
| LY | | 5,443,962 | 08/22/1995 | Draetta et al. |
| 1 | | 5,952,467 | 09/14/1999 | Hunter et al. |
| | | 6,596,848 | 07/22/2003 | Hunter et al. |
| | | 2002/0025521 | 02/28/2002 | Lu et al. |
| - | | 2004/0101896 | 05/27/2004 | Hunter et al. |
| | | 2005/0027107 | 02/03/2005 | Hunter et al. |
| $\overline{\Psi}$ | | 2005/0049404 | 03/03/2005 | Hunter et al. |

FOREIGN PATENT DOCUMENTS

| Examiner's Initials* | Cite No. (optional) | Country | Number | Publication Date | Name of Applicant or Patentee |
|-------------------------|------------------------|-----------------|-------------|---------------------|---------------------------------|
| LY | | WIPO | WO 99/12962 | 03/1999 | Lu et al. |
| ī | · | WIPO | WO 00/48621 | 08/2000 | Lu et al. |
| | | WIPO | WO 01/75067 | 10/2001 | Drmanac et al. |
| $\overline{}$ | | WIPO | WO 01/79449 | 10/2001 | Tang et al. |
| Examiner's Initials* | Cite No. (optional) | OTHER DOCUMENTS | | | 3 |
| | | | | tyrosine phosphoryl | ation is not required for entry |

| EXAMINER SIGNATURE: | /Lei Yao/ | DATE CONSIDERED: | 08/24/2006 |
|------------------------|-----------|---------------------|------------|
| | | CONSIDERED. | |

^{*} Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | Attorney Docket Number | 7158-71253-09 | |
|--------|--|---|---|--|
| | | Application Number | 10/616,410 | |
| INFORM | ATION DISCLOSURE STATEMENT | Filing Date | July 8, 2003 | |
| | BY APPLICANT | First Named Inventor | Hunter | |
| | | Art Unit | 1642 | |
| | | Examiner Name | Lei Yao, Ph.D. | |
| LY | Burgess et al., "Possible dissociation heparin-binding (acidic fibroblast) gasite-directed mutagenesis of a single Cech, "Ribozymes and Their Medic | growth factor-1 from its recept lysine residue." J. Cell Bio. | otor-binding activities by L, 111:2129-2138, 1990. | |
| | 3034, 1988. | | | |
| | Choi et al., "Activation of p34 ^{cdc2} prin mouse oocytes and embryos." Do | evelopment, 113:789-795, 19 | 91 | |
| | Chong et al., "A human telomeric p | rotein." Science, 270:1663-1 | 667, 1995. | |
| | Durfee et al., "The retinoblastoma protein associates with the protein phosphatase type 1 catalytic subunit." Genes Dev., 7:555-569, 1993. | | | |
| | Dyck et al., "A Novel Macromolecular Structure Is a Target of the Promyelocyte-Retinoic Acid Receptor Oncoprotein." Cell, 76:333-343, 1994. | | | |
| | Eldredge et al., "Use of Tetracycline | Eldredge et al., "Use of Tetracycline Operator System to Regulate Oncogene Expression | | |
| | in Mammalian Cells." Methods Enzymol., 254:481-491, 1995. | | | |
| .] | Engleman, Human Hydbridomas and Monoclonal Antibodies, New York: Plenum Press, 1985. | | | |
| | Fields and Song, "A novel genetic system to detect protein-protein interactions." <i>Nature</i> , 340:245-246, 1989. | | | |
| | Fraley and Papahadjopoulos, "New generation lipsomes: the engineering of an efficient vehicle for intracellular delivery of nucleic acids." <i>Trends Biochem. Sci.</i> , 6:77-80, 1981. | | | |
| | Fruman <i>et al.</i> , "Immunophilins in pr 8:391-400, 1994. | Fruman et al., "Immunophilins in protein folding and immunosuppression." FASEB J., | | |
| | | Fu and Maniatis, "Factor required for mammalian spliceosome assembly is localized to discrete regions in the nucleus." <i>Nature</i> , 343:437-441, 1990. | | |
| | Fujimori et al., "Mice Lacking Pin1 Develop Normally, but Are Defective in Entering Cell Cycle from G ₀ Arrest." Biochem. Biophys. Res. Commun., 265:658-663, 1999. | | | |
| | Gavin et al., "Histone H1 kinase activity, germinal vesicle breakdown and M phase entry in mouse oocytes." J. Cell Sci., 107:275-283, 1994. | | | |
| | Gossen and Bujard, "Tight control or responsive promoters." Proc. Natl. | of gene expression in mamma | lian cells by tetracycline- | |
| | Gui et al., "A serine kinase regulate: cell cycle." Nature, 369:678-682, 1 | s intracellular localization of | splicing factors in the | |
| V | Hanes et al., "Sequence and Mutation Saccharomyces cerevisiae." Yeast, | onal Analysis of ESSI, a Gen | e Essential for Growth in | |

| EXAMINER SIGNATURE: | /Lei Yao/ | DATE CONSIDERED: | 08/24/2006 | |
|------------------------|-----------|---------------------|------------|--|
| | | | | |

[•] Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | Attorney Docket Number | 7158-71253-09 | |
|--------|--|---|-------------------------------|--|
| | | Application Number | 10/616,410 | |
| INFORM | ATION DISCLOSURE STATEMENT | Filing Date | July 8, 2003 | |
| • | BY APPLICANT | First Named Inventor | Hunter | |
| | • | Art Unit | 1642 | |
| | | Examiner Name | Lei Yao, Ph.D. | |
| LY | Hani et al., "PTF1 encodes an essen shows strong homology with a new 202, 1995. | putative family of PPIases." | FEBS Lett., 365:198- | |
| | Hannon et al., "Isolation of the Rb-r cyclins." Genes Dev., 7:2378-2391, | related p130 through its intera 1993. | action with CDK2 and | |
| | Harper et al., "The p21 Cdk-Interact Dependent Kinases." Cell, 75:805-8 | | Inhibitor of G1 Cyclin- | |
| | Heitman et al., "Identification of Im Companion Methods Enzymol., 5:17 | munosuppressive Drug Targe | ets in Yeast." Methods | |
| | Helene, "The anti-gene strategy: cor oligonucleotides." Anticancer Drug | ntrol of gene expression by tr | iplex-forming- ract only). | |
| | Hillier et al., EST-STS Database, A | ccession No. H41102, 1991. | | |
| | Hillier et al., EST-STS Database, Accession No. T82035, 1995. | | | |
| , | Jaye et al., "Isolation of a human anti-haemophilic factor IX cDNA clone using a unique 52-base synthetic oligonucleotide probe deduced from the amino acid sequence of bovine factor IX." Nucl. Acid Res., 11(8):2325-2335, 1983. | | | |
| | Jung et al., "Kinetics of MPF and histone H1 kinase activity differ during the G2- to M-phase transition in mouse oocytes." Int. J. Dev. Biol., 37:595-600, 1993. | | | |
| | Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity." <i>Nature</i> , 256:495-497, 1975. | | | |
| | Lambert-Messerlian et al., "Human follicular fluid contains pro- and C-terminal immunoreactive alpha-inhibin precursor proteins." J. Clin. Endocrinol. Metab., 78:433-439, 1994. | | | |
| | 48 results in different biological acti | Lazar et al., "Transforming growth factor alpha: mutation of aspartic acid 47 and leucine 48 results in different biological activities." Mol. Cell Biol., 8:1247-1252, 1988. | | |
| | Lee and Nathans, "Proliferin Secreted by Cultured Cells Binds to Mannose 6-Phosphase Receptors." J. Biol. Chem., 263(7):3521-3527, 1988. | | | |
| | Lu et al., "Properties and regulation Aspergillus nidulans." J. Biol. Chen | 1., 268:8769-8776, 1993. | • | |
| V | Lu et al., "Identification of Substrate Specificity Determinants for the Cell Cycle- regulated NIMA Protein Kinase." J. Biol. Chem., 269:6603-6607, 1994. | | | |
| | Lu et al., "Evidence for a NIMA-like 81:413-424, 1995. | e mitotic pathway in vertebra | ite cells." Cell, | |

| EXAMINER SIGNATURE: | /Lei Yao/ | DATE CONSIDERED: | 08/24/2006 |
|------------------------|--------------------------------|-----------------------------------|-------------------------------------|
| * Examiner: Initial | if reference considered, wheth | ner or not in conformance with MP | EP 609. Draw line through cite if n |

Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | Attorney Docket Number | 7158-71253-09 | |
|----------------------------------|---|--|--------------------------|--|
| | | Application Number | 10/616,410 | |
| INFORMATION DISCLOSURE STATEMENT | | Filing Date | July 8, 2003 | |
| | BY APPLICANT | First Named Inventor | Hunter | |
| | | Art Unit | 1642 | |
| | | Examiner Name | Lei Yao, Ph.D. | |
| LY | Lu et al., "Expression of the noncata in Aspergillus nidulans." EMBO J., | alytic domain of the NIMA ki 13:2103-2113, 1994. | inase causes a G2 arrest | |
| | Lu et al., "A human peptidyl-prolyl Nature, 380:544-547, 1996 | isomerase essential for regula | | |
| | Maher et al., "Oligonucleotide-Directed DNA Triple-Helix Formation: An Approach to Artificial Repressors?" Antisense Res. Dev., 1:277-281, 1991. | | | |
| | Mannino and Gould-Fogerite, "Lipo 6(7):682-690, 1988. | some Mediated Gene Transfe | - | |
| | Marcus-Sekura, "Review: Techniqu Study Gene Expression." Anal. Bioc | nes for Using Antisense Oligo chem., 172:289-295, 1988. | edeoxyribonucleotides to | |
| | Morris et al., "The genetic analysis of 10:196-201, 1989. | Morris et al., "The genetic analysis of mitosis in Aspergillus nidulans." Bioessays, | | |
| | O'Connell et al., "Premature chroma EMBO J., 13:4926-4937, 1994. | O'Connell et al., "Premature chromatin condensation upon accumulation of NIMA." | | |
| | Osmani et al., "Mitotic induction and maintenance by overexpression of a G2-specific gene that encodes a potential protein kinase." Cell, 53:237-244, 1988. | | | |
| | Osmani et al., "Parallel Activation of the NIMA and p34 ^{cdc2} Cell Cycle-Regulated Protein Kinases Is Required to Initiate Mitosis in A. nidulans." Cell, 67:283-291, 1991. | | | |
| | Peattie et al., "Expression and characterization of human FKBP52, an immunophilin that associates with the 90-kDa heat shock protein and is a component of steroid receptor complexes." Proc. Natl. Acad. Sci. USA, 89:10974-10979, 1992. | | | |
| | Rahfeld et al., "Confirmation of the existence of a third family among peptidyl-prolyl cis/trans isomerases: Amino acid sequence and recombinant production of parvulin." FEBS Lett., 352:180-184, 1994. | | | |
| | Rosborough et al., "Identification of FKBP-related proteins with antibodies of predetermined specificity and isolation by FK 506 affinity chromatography." Transplantation Proc., 23:2890-2893, 1991. | | | |
| | Rosenberg et al., "Vectors for selective expression of cloned DNAs by T7 RNA polymerase." Gene, 56:125-135, 1987. | | | |
| | 20:12-14, 1995. | Rudd et al., "A new family of peptidyl-prolyl isomerases." Trends Biochem. Sci., | | |
| | Sazer et al., "Mitochondrial growth a DNA replication in fission yeast." J. | . Cell Sci., 97:509-516, 1990 | | |
| V | Schreiber, "Chemistry and Biology of Ligands." Science, 251:283-287, 19 | | eir Immunosuppressive | |

| EXAMINER SIGNATURE: | /Lei Yao/ | DATE CONSIDERED: | 08/24/2006 |
|--|-----------|---------------------|------------|
| * Everyings: Initial if reference considered whether are the referred to a first transfer of the second transfer o | | | |

Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | Attorney Docket Number | 7158-71253-09 | |
|---------|---|--|---|--|
| | | Application Number | 10/616,410 | |
| INFORMA | ATION DISCLOSURE STATEMENT | Filing Date | July 8, 2003 | |
| | BY APPLICANT | First Named Inventor | Hunter | |
| | | Art Unit | 1642 | |
| • | | Examiner Name | Lei Yao, Ph.D. | |
| LY | Schultz et al., "Cell Cycle-depender Related to the NIMA Mitotic Regul 5:625-635, 1994. | nt Expression of Nek2, a Novator of Asperigillus nidulans | vel Human Protein Kinase 1." Cell. Growth Differ., | |
| | Schultz et al., "Identification of 21 of a Family Related to the Cell Cyc Growth Differ., 4:821-830, 1993. Schweitzer et al., "NPKI, a nonesse | le Regulator nimA of Aspergi | illus nidulans ¹ ." Cell | |
| | with similarity to Aspergillus nidulo | | | |
| | Sikorski and Hieter, "A System of S Efficient Manipulation of DNA in S 1989. | Sikorski and Hieter, "A System of Shuttle Vectors and Yeast Host Strains Designed for Efficient Manipulation of DNA in Saccharomyces cerevisiae." Genetics, 122:19-27, | | |
| | Sorger and Murray, "S-phase feedback control in budding yeast independent of tyrosine phosphorylation of p34 ^{cdc28} ." <i>Nature</i> , 355:365-368, 1992. | | | |
| • | Stueland et al., "Full Activiation of p34 ^{CDC28} Histone H1 Kinase Activity Is Unable To Promote Entry into Mitosis in checkpoint-Arrested Cells of the Yeast Saccharomyces cerevisiae." Mol. Cell. Bio., 13:3744-3755, 1993. | | | |
| | Sudol et al., "Characterization of a novel protein-binding module – the WW domain." FEBS Lett., 369:67-71, 1995. | | | |
| | Sudol et al., "Characterization of the Mammalian YAP (Yes-associated Protein) Gene and Its Role in Defining a Novel Protein Module, the WW Domain." J. Biol. Chem., 270(24):14733-14741, 1995. | | | |
| | Wallace et al., "The use of synthetic oligonucleotides as hybridization probes. II. Hybridization of oligonucleotides of mixed sequence to rabbit β-globin DNA." Nucl. Acid Res., 9(4):879-894, 1981. | | | |
| | Weintraub, "Antisence RNA and D | • | | |
| | Yocum et al., "Use of lacZ fusions Divergent GAL1-GAL10 Promoter i 4(10):1985-1998, 1984. | n Saccharomyces cerevisiae. | " Mol. Cell. Bio., | |
| Ψ | Yoon et al., "Genetic and Biochemi Protein, Cbf2p/Ndc10p, and the CD Biol., 15:4835-4842, 1995 | cal Interactions between an E C34 Ubiquitin-Conjugating I | Essential Kinetochore Enzyme." <i>Mol. Cell.</i> | |

| EXAMINER /Lei Yao/ | DATE 08/24/2006 |
|--------------------|-----------------|
| SIGNATURE: | CONSIDERED: |

[•] Examiner: Initial if reference considered, whether or not in conformance with MPEP 609. Draw line through cite if not in conformance and not considered. Include copy of this form with next communication to applicant.